



# SPECIFICATION SHEET

## 22-770



### KUT-GARD® POLYESTER OVER DYNEEMA® / SILICA / STAINLESS STEEL CORE ANTIMICROBIAL GLOVE - HEAVY WEIGHT

- Seamless knit construction provides comfort, fit, and dexterity
- Steel fiber yarn wrapped with Dyneema®, enhances the gloves performance without sacrificing flexibility and dexterity
- Yarns constructed of flexible steel core strands offer exceptional cut and slash resistance
- Features patented ANSI Standard 51 Conformant and FDA & EPA Antimicrobial Fibers. Inhibits the growth of microorganisms such as bacteria and mold that come in contact with the fiber up to 99.9%
- Made from component materials that comply with Federal Regulations for food contact 21CFR, 170-199t
- Available in colored cuffs to distinguish between areas of use
- CFIA Approved

### APPLICATIONS

- Food Service applications
- Food Processing
- Glass and metal handling

### CARE INSTRUCTIONS

Machine wash in warm water with Detergent. Rinse well and spinextract using low speed. Tumble dry on Low to Medium heat setting. Temperature settings not to exceed 65°C. Can be Dry-Cleaned.

### TECHNICAL DATA

|              |  |
|--------------|--|
| MATERIAL     | Dyneema®, stainless steel and other synthetic fibers |
| CONSTRUCTION | 10 gauge seamless knit reversible                    |
| COLOR        | <input type="checkbox"/> White                       |
| CUFF STYLE   | Knitted elasticized wrist                            |
| SIZES        | XS - XL  |
| PACKAGING    | 24 each per case                                     |
| CASE         | 12.0" x 6.0" x 6.0" / 30.5cm x 15.3cm x 15.3cm       |
| CASE WEIGHT  | 1.4 lbs / 0.6 kg                                     |
| COO          | USA  |



### DIMENSIONS (in/cm)


|          | XS                             | S                               | M                             | L                              | XL                             |
|----------|--------------------------------|---------------------------------|-------------------------------|--------------------------------|--------------------------------|
| <b>A</b> | 8.0 / 20.3                     | 8.5 / 21.6                      | 9.5 / 24.1                    | 10.5 / 26.7                    | 11.0 / 27.9                    |
| <b>B</b> | 3.75 / 9.5                     | 4.0 / 10.2                      | 4.5 / 11.4                    | 4.5 / 11.4                     | 4.5 / 11                       |
| <b>H</b> | <input type="checkbox"/> Black | <input type="checkbox"/> Yellow | <input type="checkbox"/> Blue | <input type="checkbox"/> White | <input type="checkbox"/> Green |

### CUT RESISTANCE PROPERTIES

- Method ASTM F1790
- ANSI/ISEA Level A6 Cut Resistance

### BARCODES

| ITEM                               | EACH         | DOZEN          | CASE           |
|------------------------------------|--------------|----------------|----------------|
| <input type="checkbox"/> 22-770/XL | 616314263545 | 01616314263544 | 02616314263543 |
| <input type="checkbox"/> 22-770/L  | 616314033964 | 01616314033964 | 02616314033964 |
| <input type="checkbox"/> 22-770/M  | 616314045332 | 01616314045331 | 02616314045330 |
| <input type="checkbox"/> 22-770/S  | 616314045349 | 01616314045348 | 02616314045347 |
| <input type="checkbox"/> 22-770/XS | 616314047992 | 01616314047991 | 02616314047990 |



**PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®**

AMERICAS: (800) 262-5755 • (518) 861-0133 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | [www.pipglobal.com](http://www.pipglobal.com)

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED.